

SUMITOMO CHEMICAL

Gokilaht®
10MC

A microencapsulated insecticide suspension in water for use against crawling insects.

Contains (1-phenylethyl)xylene, Gum Arabic, 1,2-BENZISOTHIAZOL-3(2H)-ONE

Sumitomo Chemical (UK) PLC
Hythe House, 200 Shepherds Bush Road
Hammersmith, London, W6 7NL, United Kingdom
Tel: +44 (0) 203 538 3099

EMERGENCY TELEPHONE: +44 (0) 123 523 9670

Gokilaht® is a registered trademark of Sumitomo Chemical Co. Ltd

© 2017-2019 Sumitomo Chemical (UK) Plc.
All rights reserved.

500ml /1L / 20kg

DIRECTIONS FOR USE

The product is diluted with water for use as a surface spray (i.e. Backpack, Knapsack or Power Spray). Gokilaht® 10MC is a low odour product offering a strong flushing out and killing effect. It provides prolonged residual efficacy of up to and over 3 months against crawling insect pests on a range of surface types.

Gokilaht 10MC is highly effective against a range of pests including ; German cockroaches (*Blattella germanica*), Bed Bugs (*Cimex lectularius*), Booklice (*Psocoptera*), Silverfish (*Leptisma saccharina*), Carpet Beetle (*Anthrenus verbasci*), Ants (*Formicoidea*), Fleas (*Siphonaptera*), House flies (*Musca domestica*), Stable flies (*Stomoxys calcitrans*), Mosquitoes (*Culicidae*)

WHERE TO USE

Contact (surface) spray for use in the following situations:

Domestic premises

Private housing

Commodity Storage e.g. Tobacco facilities

Food Handling

Processing – Food manufacture, kitchens, slaughterhouses etc.

Storage – Food retailers, warehouses, raw material stores etc.

Preparation – Restaurants, commercial kitchens etc.

Public Buildings Hospitals, hotels, public baths, municipal buildings, churches, halls, community centres, cinemas etc.

Outdoor

Refuse tips, sewage works (excluding filter beds), amenity areas etc.

Notes: The product can be used in continuously occupied areas as a band/spot or crack and crevice treatment only.

Do not use in the presence of bystanders. Wait until treated sites are dry before re-entering and thoroughly ventilate treated sites for a further 1 hour before re-occupying.

Do not apply Gokilaht® 10MC in the presence of food. See precautions for further details.

INSTRUCTIONS FOR USE

Steps for dilution:

Step 1: Shake Gokilaht® 10MC container well

Step 2: Measure the required amount of Gokilaht 10MC into the spray tank

Step 3: Dilute to the appropriate level using water

Step 4: Agitate the spray tank before spraying

Please note that the microcapsules are NOT broken or damaged by spraying.

The normal application rate is for the routine treatment of pests. While the high application rate is for use on particularly heavy infestations, or where surfaces are particularly dirty or absorbent.

DILUTION AND APPLICATION RATES

Treatment	Pest Species	Dilution Rate with Water	Application Rate
Surface Spray	Crawling insects e.g. cockroaches, bed bugs, booklice, silverfish, carpet beetles, ants, fleas	Normal rate for routine use or light infestations: 50 ml in 5 Litres of water	5 Litres of spray mix per 100 m ² surface area (ca. 50 mg a.s. per m ²).
	and Flying insects when at rest e.g. house flies, stable flies, mosquitoes	High rate for heavy infestations: 100 ml in 5 Litres of water	5 Litres of spray mix per 100 m ² surface area (ca. 100 mg a.s. per m ²).

SPRAYING EQUIPMENT FOR USE AS A CONTACT (SURFACE) SPRAY:

Only apply with a suitable hand-, mechanically- or electrically-operated sprayer capable of producing a coarse spray.

Can be applied directly to surfaces, at a rate sufficient to dampen them. Use 1 litre of diluted product per 20 m².

For crawling insects such as cockroaches, special attention should be paid to cracks and crevices and other insect harbourages. Spray around ducts, fittings and other equipment. If protecting buildings from outside pests, spray in barrier strips around windows and doors.

For flying insects, apply to surfaces where insects settle, such as surfaces around and under refuse bins, window sills and door frames, kitchen surfaces where food is not prepared etc.

The product works well on porous surfaces such as plywood, overlaid plywood, unglazed ceramic and plaster.

Treatment is typically effective within 50 minutes once insects contact treated surfaces. Repeat treatment as necessary, but undisturbed deposits can be effective for up to and over 3 months.

PRECAUTIONS FOR USE

Eye/face protection: Wear respiratory protection. The following protection should be worn: Chemical splash goggles.

Hand protection: It is recommended that gloves are made of the following material: Rubber (natural, latex e.g. Shield or Ansell Alphatec).

Other skin and body protection: Wear apron or protective clothing in case of contact.

Monitor and diagnose the pest problem before using the product.

Do not use as a fogger or apply as a space spray.

Do not use in the presence of bystanders. Wait until treated sites are dry before re-entering and thoroughly ventilate treated sites for a further 1 hour before re-occupying.

Do not apply directly to people or animals.

The product should be applied so that children or pets do not come into direct contact with the product.

Do not apply Gokilaht® 10MC in the presence of food. Do not contaminate foodstuffs, eating utensils or food contact surfaces. Safety precautions must be taken so that food and tools that are handled in the facilities contain no residues of any of the active ingredients.

Do not apply the product as an aerial spray or on surfaces where food is handled, prepared, eaten or served.

Remove or cover all fish tanks and bowls and water storage tanks before application.

Avoid contact with skin. Wash splashes from skin or eyes immediately. Wash hands and exposed skin after use and before meals.

Keep only in the original container. Keep container tightly closed. Keep in a safe place.

Keep out of reach of children.

Keep away from food, drink and animal feeding stuffs.

When using do not eat, drink or smoke.

PRECAUTIONS FOR STORAGE

Protect from frost. If frozen, place the Gokilaht 10MC container in a container of water at 60oC for half a day.

Do not store the prepared solution.

FIRST AID

Remove contaminated clothing immediately and wash contaminated skin thoroughly with soap and water. In cases of eye splashes, flush eyes immediately with plenty of clean water and obtain medical attention. In cases of severe skin exposure typical sensations of the exposed skin, especially the face and other areas of tender skin, may appear. These may be tingling, burning or numbness. These sensations will wear off in a few hours. If other symptoms should occur refer to a doctor or the nearest hospital, show the label.

MEDICAL ADVICE

Contains a pyrethroid insecticide. This product is of low toxicity by oral and dermal routes. Poisoning is unlikely to occur. Treat symptomatically. For further advice contact the National Poisons Information Centre.

DANGER



H317 May cause an allergic skin reaction.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H410 Very toxic to aquatic life with long lasting effects.

P261 Avoid breathing vapour/spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P284 [In case of inadequate ventilation] wear respiratory protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.

Approval Holder:

Sumitomo Chemical (UK) PLC
Hythe House, 200 Shepherds Bush Road,
Hammersmith, London W6 7NL,
United Kingdom

Tel: +44 (0)203 538 3099

24 hr EMERGENCY TELEPHONE:
+ 44 (0)1235 239 670

Contains: Cyphenothrin 10.4% w/w
Manufactured by Sumitomo Chemical Co. Ltd., Osaka, Japan
UFI NUMBER: QC90-10W5-400R-HTH8
Gokilaht® is a registered trademark of Sumitomo Chemical Co. Ltd.

Please note: This document is a specimen label, regulations may vary